



**Zhejiang Rongda Energy Saving Technology Co.,Ltd**


**Wenzhou Rongda Import & Export Co., Ltd**




## **Silicon carbide graphite crucible Series Selection Manual**

WengYang Industrial Zone, Yueqing City, Zhejiang Province 325606  
fiamma@futmetal.com +86-15726878155 www.futmetal.com

## Silicon Carbide Graphite Crucible




Item	Code	Height	Outer Diameter	Bottom Diameter
RN 250	760#	630	615	250
RN 500	1600#	750	785	330
RN 430	1500#	900	725	320
RN 420	1400#	800	725	320
RN 410H740	1200#	740	720	320
RN 410	1000#	700	715	320
RN 400	910#	600	715	320



Item	Code	Height	Outer Diameter	Bottom Diameter
RA100	100#	380	330	205
RA200H400	180#	400	400	230
RA200	200#	450	410	230
RA300	300#	450	450	230
RA350	349#	590	460	230
RA350H510	345#	510	460	230
RA400	400#	600	530	310
RA500	500#	660	530	310
RA600	501#	700	530	310
RA800	650#	800	570	330
RR351	351#	650	420	230
RA600	501#	700	530	310
RA800	650#	800	570	330
RR351	351#	650	420	230

Customized is acceptable

## Silicon Carbide Graphite Crucible




Item	Model	Outer Diameter	Height	Inside Diameter	Bottom Diameter
1	80	330	410	265	230
2	100	350	440	282	240
3	110	330	380	260	205
4	200	420	500	350	230
5	201	430	500	350	230
6	350	430	570	365	230
7	351	430	670	360	230
8	300	450	500	360	230
9	330	450	450	380	230
10	350	470	650	390	320
11	360	530	530	460	300
12	370	530	570	460	300
13	400	530	750	446	330
14	450	520	600	440	260
15	453	520	660	450	310
16	460	565	600	500	310
17	463	570	620	500	310
18	500	520	650	450	360
19	501	520	700	460	310
20	505	520	780	460	310
21	511	550	660	460	320
22	650	550	800	480	330
23	700	600	500	550	295
24	760	615	620	550	295
25	765	615	640	540	330
26	790	640	650	550	330
27	791	645	650	550	315
28	801	610	675	525	330
29	802	610	700	525	330
30	803	610	800	535	330
31	810	620	830	540	330
32	820	700	520	597	280
33	910	710	600	610	300

Customized is acceptable

### Silicon Carbide Graphite Crucible


34	980	715	660	610	300
35	1000	715	700	610	300
36	1050	715	720	620	300
37	1200	715	740	620	300
38	1300	715	800	640	440
39	1400	745	550	715	440
40	1510	740	900	640	360
41	1550	775	750	680	330
42	1560	775	750	684	320
43	1650	775	810	685	440
44	1800	780	900	690	440
45	1801	790	910	685	400
46	1950	830	750	735	440
47	2000	875	800	775	440
48	2001	870	680	765	440
49	2095	830	900	745	440
50	2096	880	750	780	440
51	2250	880	880	780	440
52	2300	880	1000	790	440
53	2700	900	1150	800	440
54	3000	1030	830	920	500
55	3500	1035	950	925	500
56	4000	1035	1050	925	500
57	4500	1040	1200	927	500




Item	Outer Diameter	Height	Inside Diameter	Bottom Diameter
Z803	620	800	536	355
Z1800	780	900	680	440
Z2300	880	1000	780	330
Z2700	880	1175	780	360

Customized is acceptable

## Silicon Carbide Graphite Crucible





Item	Outer Diameter	Height	Inside Diameter	Bottom Diameter
IND205	330	505	280	320
IND285	410	650	340	392
IND300	400	600	325	390
IND480	480	620	400	480
IND540	420	810	340	410
IND760	530	800	415	530
IND700	520	710	425	520
IND905	650	650	565	650
IND906	625	650	535	625
IND980	615	1000	480	615
IND900	520	900	428	520
IND990	520	1100	430	520
IND1000	520	1200	430	520
IND1100	650	900	564	650
IND1200	630	900	530	630
IND1250	650	1100	565	650
IND1400	710	720	622	710
IND1850	710	900	625	710
IND5600	980	1700	860	965




Item	Outer Diameter	Length
350	35	350
500	50	500
550	55	550
600	55	600
460	40	460
700	55	700

## Silicon Carbide Graphite Crucible





Item	Outer Diameter	Height	Inside Diameter	Bottom Diameter
U700	785	520	505	420
U950	837	540	547	460
U1000	980	570	560	480
U1160	950	520	610	520
U1240	840	670	548	460
U1560	1080	500	580	515
U1580	842	780	548	463
U1720	975	640	735	640
U2110	1080	700	595	495
U2300	1280	535	680	580
U2310	1285	580	680	575
U2340	1075	650	745	645
U2500	1280	650	680	580
U2510	1285	650	690	580
U2690	1065	785	835	728
U2760	1290	690	690	580
U4750	1080	1250	850	740
U5000	1340	800	995	874
U6000	1355	1040	1005	880


### Ladle Bowl



Item	Liter	Thread
HLB1	0,13	M10
HLB2	0,33	M16
HLB3	0,50	M16
HLB4	0,60	M16
HLB5	0,75	M16
HLB6	1,50	M16
HLB7	1,50	M16
HLB8	2,20	M16
HLB9	3,20	M16

Crucible Stand	Item	Height	TOP Diameter	Bottom Diameter
	HS290-50	50	290	290
	HS330-50	50	330	330
	HS360-50	50	360	360
	HS450-50	50	450	450
	HS460-50	50	460	460
	HS500-50	50	500	500
	HS290-65	65	290	290
	HS330-65	65	330	330
	HS360-65	65	360	360
	HS700-75	75	700	700
	HS290-100	100	290	290
	HS330-100	100	330	330
	HS360-100	100	360	360
	HS400-100	100	400	400
	HS450-100	100	450	450
	HS550-100	100	550	550
	HS600-150	150	600	600
	HS700-150	150	700	700
	HS850-100	100	850	850
	HS450-150	150	450	450
HS550-200	200	550	550	

Graphite Spout	Item	L	W	H	Channel
	HL400×180	400	180	110	80×400
	HL700×155	700	155	115	80×65
	HL700×255	700	250	178	108×83
	HL930×250	930	250	195	180×150

Degassing rotor	L
	600
	650
	700
	750
	780
	800
	850
	900
	950
	1000
	1050
1100	
1150	
1200	